INDEX

Journal of Labelled Compounds and Radiopharmaceuticals
Volume XXXII 1992

(1R)-(1-Acetamido-2-phenylethyl)boronic acid-1-^{13}C, 567
Acifluorfen, ^{3}H 175
(see also 3-[[^{3}H]-[2-chloro-4-(trifluoromethyl)phenoxy-2-nitrobenzoic acid)
Acifluorfenmethyl, -^{3}H 175
(see also methyl 3-[^{3}H]-5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate)
N-Acyl-2-amino-2-deoxy-[1-^{14}C]-glucoses, 711
Alanine, L,D-[2,3-^{3}H] 71
L,-[2,3-^{3}H]
N-[^{3}H]Alkyl-N-nitrosoureas, 925
Alkylxanthines, -[^{3}H] 759
L-α-Amino Acids, 95
Allyl alcohol, -[1-^{14}C], [3-^{14}C], [1-^{18}O] 381
S-γ-Aminobenzenepropanol-[1-^{14}C] 305
9-Amino-8-fluoro-2,4-methano-1,2,3,4-tetrahydroacridine citrate, ^{14}C 553
2-Amino-2-hydroxy[3-^{13}C]naphthalene, 807
R-3-Amino-3-phenylpropionic acid-[1-^{14}C], hydrochloride salt, 305
Aminowarfarin methyl ketals, -[^{3}H] 763
[α-^{11}C]Amphetamine, 891
Analgesic 945
Anilino steareamide, ^{2}H 289
L-[4-^{13}C]Aspartic acid, 95
A14b L-[3,4-$^{13}C_2$]Aspartic acid, 95
Antibiotic, 333
Antitumor drug, 349
(R)-(-)-1-Azabicyclo[2.2.2]oct-3-yl-(R)-(+)-α-hydroxy-α-(4-[^{123}I]iodophenyl)-α-phenyl acetate 45
Auxins, -^{3}H 539
[U-^{14}C]Benzenesulfonyl chloride 33
[1,3,5-$^{13}C_3$]Benzoic acid, 109
[2,4,6,7-$^{13}C_4$]Benzoic acid, 109
(O(6)-Benzyl-N-Acetylguanosine -[^{13}C] 793
-[^{14}C]

[^{13}C]N$^{\alpha}$Benzyloxycarbonyl-N^{G}-2,2,5,7,8-pentamethylchroman-6-sulphonyl-L- arginine, 194
N-Benzyloxycarbonyl-proline-leucine-[3,4,5-^{3}H(n)]-tryptophan acid, 739
[1′-^{15}N]Biotin 1065
(E)-6(Bromomethylene)-tetrahydro-3-([4-^{3}H]-1-naphthalenyl)-^{2}H-pyran-2-one, 685
Borneol, -[5,5-^{2}H2] 397
^{15}N-3-Bromopyridine 165
BRL 26830A -[^{14}C] 697
Butadiene monoepoxide -[$^{2}H_6$] 469
[^{3}H]Tert-Butyl-8-chloro-5,6-dihydro-5-methyl-6-oxo-4H-imidazo[1,5-a]-
[1,4]benzodiazepine 3-carboxylate 1049
R-3-N-tert.-Butyloxycarbonylamino-3-phenylpropionitrile-[1-^{14}C], 305
N-tert-Butyl-α-phenylnitrone, ^{14}C-ring 289
Camphor, -[5,5-^{2}H2] 397
(±)-[1,1′-$^{15}N_2$,5′-^{13}C]-trans-4′-Carboxycotinine 167
Cefelidin, -^{14}C 663
2-Chloroethyl[^{13}C]-methyl sulfide, 849
Cholesterol, - [C(3)-^{3}H] 861
4-Chlorophenoxyacetic acid-2-^{3}H, 539
Clozapine -[11-^{14}C] 1041
Methyl-$^{3}H_3$] 1041
(see also 8-chloro-11-(4-methyl-1-piperazinyl)-5-H-dibenzo[b,e][1,4]diazepine)
[^{13}C] Cyanogen 1035
[^{15}N]Cyanogen 1035
Cis-1,1-cyclobutane-dicaboxylato (2R)-2-methyl-1,4-butanediamine
platinum (II), ^{193m}Pt, ^{195m}Pt, ^{191}Pt 349
Cymantrene analogues, -^{99m}Tc 641
Dapoxetine hydrochloride, ^{14}C 305
(see also S (+)-N,N-Dimethyl-α-[2-(1-naphthalenyloxy)-ethyl-2-^{14}C]benzene-
methanamine hydrochloride)
Debutanoylthapsigargin, ^{3}H 199
2-Deoxy-2-[18F]-fluoro-β-mannosyl [18F]-fluoride 1005
Desipramine, -[G-^{3}H] 659
Dextran, ^{3}H 227
2,4-Dichlorophenoxyacetic acid -5-^{3}H, 539
2(2,4-Dichlorophenoxy-5-^{3}H)propionic acid, 539
2(2,4-Dichlorophenoxy)-propionic acid-3-^{3}H, 539
1,6-Diethoxy-3,4-hexanedione dioxime, ^{99}m Tc 61
Diethyl butyl-[$^{2}H_5$-ethyl]malonate, 821
Diethyl[$^{2}H_5$-ethyl]-malonate, 821
Di-(2-[$^{2}H_5$-ethyl]hexyl)adipate, 821
Diethyl 3-ketobutyl-[$^{2}H_5$-ethyl]malonate, 821
1,6-Dimethoxy-3,4-hexanedione dioxime, ^{99}m Tc 61
N,N-Dimethyl-[β-(3,4-diacetoxy-6-^{123}I-iodophenyl)]-ethylamine (IDDE), 3

4,4-Dimethyl-1-(3,4-methylene dioxyphenyl)-1-pentene-3-ol, 960
-^{3}H
-^{14}C
S-(+)-N,N-Dimethyl-α-([2-(1-naphthalenyloxy)ethyl-[2-^{14}C]benzene-
methanamine, hydrochloride, 305
S-(+)-γ-N,N-(Dimethylamino)benzenepropanol-[1-^{14}C], 305
Dioxins, 261
Enantioselective reduction, 477
Enzymatic synthesis, 505
[5,7,7-$^{3}H_3$]-24-Epibrassinolide, 801
2-[$^{2}H_5$-Ethyl]-hexanedioic acid, 821
2-[$^{2}H_5$-Ethyl]hexanoic acid, 821
2-[$^{2}H_5$-Ethyl]hexan-1-ol, 821
2-[$^{2}H_5$-Ethyl]-5-ketohexanoic acid, 821
3-[$^{2}H_5$-Ethyl]-6-methyltetrahydro-^{2}H-pyran-2-one, 821
2-[$^{2}H_5$-Ethyl]-5-phenoxypentanoic acid, 821
[^{14}C]Eutypine 1057
(see also 4-hydroxy-3-(3-methyl-3-buten-1-ynyl) benzaldehyde
[^{14}C]-Fentanyl 945
(see also N-[U-^{14}C]-Phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]-propanamide)
[^{14}C]FK-506, 103
[^{13}C]N^{α}-9-Fluorenylmethyloxycarbonyl-N^{ϵ}-9-fluorenylmethyloxycarbonyl-L-lysine, 193
[^{13}C]N^{α}-9-Fluorenylmethyloxycarbonyl-O-tert-butyl-L-aspartic acid, 192
[^{13}C]N^{α}-9-Fluorenylmethyloxycarbonyl-O^{β}-tert-butyl-L-serine, 192
[^{13}C]N^{α}-9-Fluorenylmethyloxycarbonyl-O-tert-butyl-L-serine-O-p-nitrobenzyl, 192
[^{13}C]N^{α}-9-Fluorenylmethyloxycarbonyl-L-serine, 191
[^{13}C]N^{α}-9-Fluourenylmethyloxycarbonyl-L-serine-O-p-nitrobenzyl, 192
[^{13}C]N^{α}-9-Fluorenylmethyloxycarbonyl-N^{G}-2,2,5,7,8-pentamethylchroman-6-
sulphonyl-L-arginine, 194
Fluorescence - labelling 199
Fluorination, 39
6-[^{18}F]-Fluorodopa 39
[3-^{18}F]-Fluoromethyl-1-[1-(2-thienyl)-cyclohexyl]-piperidine 954
Fourphit, -^{3}H 671
(see also 4-Isothiocyanato-1-(1-phenylcyclohexyl)-piperidine)
Fungicide, 545
Gadoteridol, -^{14}C 455
(see also [1,4,7-tris(carboxymethyl)-10-(2-hydroxy-1-[^{14}C]-propyl)
-1,4,7,10-tetraazacyclododecanto]gadolinium)
Geranyl-4-[$^{2}H_2$]-10-[$^{2}H_3$]-β-D-glucoside, 11
D-[3,4-$^{13}C_2$]Glucose 981
[α-^{13}C]Glycine, 1019
Glycolic-[1-^{14}C]acid 951

Guanidineacetic acids, -^{3}H 599
cis-3-Hexen-1-ol-6,6,6-$^{2}H_3$ 629
Herbicides, 175
Herbimycin A, [19-^{3}H] 333
Hexadecylphospho[methyl-^{14}C]-choline 1071
Hexaethylene glycol -[$^{2}H_{22}$], 92
Hexan-1-ol-6,6,6-$^{2}H_3$ 629
cis-2-Hexen-1-ol-6,6,6-$^{2}H_3$ 629
trans-2-Hexen-1-ol-6,6,6-$^{2}H_3$ 629
cis-3-Hexen-1-ol-6,6,6-$^{2}H_3$ 629
HPLC Isotope Effects, 297
5(S)-Hydroxy-6(R)-(N-[1-^{11}C]acetyl)cysteinyl-7,9-trans-11,14-cis-
eicosatetraenoic acid, 903
(see also (N-[1-^{11}C]acetyl leukotriene E_4)
(±)-[1,1′-$^{15}N_2$,2′-^{13}C]-trans-3′-Hydroxymethylnicotine 68
3α-Hydroxy-[1,2,6,7-^{3}H]-pregnan-20-one, 561
2-[[Hydroxy[[tetrahydro-2 [(octadecyloxy)methyl]-2-furanyl)]methoxy]oxy]-
N,N,N-trimethylethanaminiumhydroxide inner salt, -[^{14}C] 829
-[^{3}H]
[^{3}H]Imidacloprid, 609
Imipramine, -[G-^{3}H] 659
3-Indoleacetic acid-5-^{3}H, 539
3-Indolebutyric acid-5-^{3}H, 539
Inorganic phosphate, -[^{17}O], 637
-[^{18}O]
Insecticide, 609
Inulin, ^{3}H 227
N-Iodobenzoyl-D-glucosamine, ^{123}I, ^{125}I 317
[^{125}I]-Iodobuprenorphine, 575
4′-[^{123}I]Iodococaine, 219
Iododemurcuration, 3
17α-[^{125}I]Iodoethynyl-4,6-androstadien-17β-ol-3-one, 729
^{125}I-Iodophenpropit, 781
(see also S-[3-(4(5)-Imidazolyl)propyl],N-[2-(4-^{125}I-Iodophenyl)ethyl]isothiourea sulfate)
Leukotriene B4, [14,15,17,17,18,18-$^{2}H_6$] 341
Loprinone, -^{14}C 125
(see also 1,2-Dihydro-5-imidazo[1,2-a]pyridin-6-yl-6-methyl-2-oxo-3-pyridinecarbonitrile
hydrochloride monohydrate)
L-[U-^{13}C]Lysyl-L-[1-^{13}C]Arginyl-L-[3-^{13}C]-Aspartyl-L-[1-^{13}C]Serine, 183
Manoalide analogs, -^{14}C 519
(see also 4-(1-acetyloxyalkyl)-5-hydroxy-2(5H)-furanones)
[^{11}C]McN-5652-Z, 841
(see also trans-1,2,3,5,6,10b-hexahydro-6-[4-[(methylthio)-phenyl]pyrrolo-[2,1-a]
-isoquinoline)

(±)-[$^{15}N_2$,2′-^{13}C]-trans-3′-Methanesulfonylmethylnicotine 168
Methylaminobenzovesamicol, ^{11}C 253
Methylation, 81,403,489,987,1029
3-[$^{2}H_3$]Methyl-3-buten-1-ol, 787
[Methyl-2H_3]Creatinine, 505
(see also 2-amino-1,5-dihydro-1-[methyl-$^{2}H_2$])
N-[^{11}C]-Methyl-DOPA 1029
(see also N-[^{11}C-methyl]-L-3-hydroxytyrosine)
(N-[^{11}C]-Methyl)Doxepin, 403
Methyl[$^{2}H_5$-ethyl]-5-cyanopentanoate, 821
3-O-Methyl-2-[^{18}F]-Fluorodopa 39
(±)-[1,1′-$^{15}N_2$,2′-^{13}C]–trans-3′-Methylnicotine 169
(2-Methyl-4-nitro-1-[^{15}N]imidazolyl)acetic acid, 159
N-[^{11}C-Methyl]-N-(trans-2-pyrrolidinyl-cyclohexyl)-3,4-dichlorophenylacetamide 81
α-[^{11}C]Methyl-tryptophan, 151
[$^{15}N_2$,(Methylidene-^{13}C)]-N-(3-Pyridylmethylidene)methylamine, 166
Microwaves, 207
Mono-(2-[$^{2}H_5$]-ethyl]hexyl)adipate, 821
Naltrindole, -[^{3}H] 375
(see also 6,7-Dehydro-4,5α-epoxy-3,14-dihydroxy-6,7,2′,3′-indolo-17 cyclopropyl-
methylmorphinan)
9a-^{13}C]Naphtho[2,3-d]-1,2,3-oxodiazole, 807
1-Naphthylacetic acid-4-^{3}H, 539
Neryl-4-[$^{2}H_2$]-10-[$^{2}H_3$]-β-D-glucoside, 11
Nicotinamide adenine dinucleotide phosphate, [U-^{14}C] 329
5-Nitro-2-[N-3-(4-azido-2,3,5,6-tetrafluorophenyl)-propylamino]-benzoic acid,-^{3}H 387
6-Nitro-7-sulfamoylbenzo[f]quinoxaline-2,3-dione, -^{3}H, ^{14}C 365
N-[^{3}H]-N-nitrosocarbamates, 925
Norgestrel-[9,11-^{3}H] 995
Nucleophilic exchange, 45
Nucleosides, -[^{3}H] 723
Octaethylene glycol-[$^{2}H_{30}$], 92
[^{11}C]Ohmefentanyl, 853
Opiate receptors, 81
[^{14}C]-Pantoprazole, 409
(see also 5-Difluoromethoxy-2-[(3,4-dimethoxy-2-pyridylmethyl)sulphinyl]-
^{1}H-[2-^{14}C]benzimidazole sodium salt and 5-difluoromethoxy-2-[3,4-dimethoxy-2-
[methyl-^{14}C]pyridylmethyl)sulphinyl]-1H-benzimidazole sodium salt)
PAT-6 871
(see also [N-$C^{3}H_3$]-racemic-trans-1-phenyl-3-dimethylamino-6-chloro-
7-hydroxy-1,2,3,4-tetra-hydronaphthalene)
[^{3}H] pBC 264, 459
[^{3}H] pBC 254,

[^{13}C]N^{G}-2,2,5,7,8-Pentamethylchroman-6-sulphonyl-L-arginine, 194
Peptides, 417,739
Peptides, -^{14}C 417
[α-^{11}C]Phenethylamine, 891
2-(Phenylmethoxy)acetic-[1-^{14}C]acid 951
Photoaffinity Labeling Agent, 387,599
Pidotimod -^{14}C
-^{35}S 973
(see also 3-L-pyroglutamyl-L-thiazolidine-4-carboxylic acid)
Pinoline, [^{3}H] 355
(see also 6-Methoxy-1,2,3,4-tetrahydro-9H-pyrido[3,4,-6]indole)
Plant hormones, 801
[^{13}C]PMEA 837
(see also 9-(2-phosphonylmethoxy)ethyl-8-[^{14}C]adenine]),
Polychlorinated dibenzo-p-dioxins, ^{37}Cl 261
Polyethylene glycols, $^{2}H_{n}$ 92
Propiconazole, -[triazole-3(5)-^{14}C], 545
(see also (1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-
^{1}H-1,2,4-triazole),
Proteins, 417
Purine deoxyribonucleotides, 143
Pyridostigmine bromide, -[2-^{14}C] 615
-[6-^{3}H]
Pyroglutamic-leucine-[3,4,5-^{3}H(n)]-tryptophan-methyl ester, 739
Ractopamine hydrochloride, -^{14}C 651
Radiodiagnostics, -^{99m}Tc 641
[(U-^{14}C)-S-Ribosyl]-L-homocysteine 717
RS 87476, -[^{2}H] 775
(see also N-[[5-methyl-2-[2,6-$^{2}H_{2}$]4-methyl-phenyl]methyl]-N'[($^{2}H_{5}$-phenyl-
phenyl)-methyl]-piperazine),
L-[3-^{13}C]Serine, 95
D-(-)-[1,7-$^{13}C_{2}$]Shikimic acid, 589
[5-^{2}H]-5-Epi-shikimic acid, 875
(6R)[6-^{2}H]-shikimic acid, 875
(6S)[6-^{2}H]-shikimic acid, 875
[6-$^{2}H_{2}$]-shikimic acid, 87
Solid phase peptide synthesis, 183
Solid state catalytic reactions, 71,759
Tandem mass spectrometry, 11
Tandospirone, -^{14}C 427
(see also N-[4-[4[(2-Pyrimidinyl)-piperazinyl] butyl]bicyclo[2.2.1]heptane-
2,3-di-*exo*-carboxyimide dihydrogen citrate)
Technetium complexes, 61,641

Terpene synthon, 131
(see also (±)-1-(1,3-Dithiane-2-yl)-4-(1-hydroxy)-1-[$^{2}H_{3}$]-methyl-ethyl)-cyclohex-2-en-1-ol)
Tetraethylene glycol -[$^{2}H_{16}$], 92
Tetrahydroechinocandin B, ^{2}H, ^{3}H 289
Thallium-201 967
1,3,4-Thiadiazol-2-ylcyanamide, -[^{14}C] 495
-[U-^{13}C]
Threo-1-(1H-1,2,4-Triazol-1-yl)-2(R)-(2,4-difluorophenyl)-3(R)-[^{14}C-methyl-sulphonyl]-butane, 445
Threo-1-(1H-1,2,4-Triazol-1-yl)-2(R)-(2,4-difluorophenyl)-3(R)-methyl sulphonyl-[1-^{14}C]-butane, 445
[16-^{14}C]Trichodiene, 915
Triethylamine -[^{14}C] 693
S-γ-[4-Trifluoromethyl)-phenoxy]benzenepropanamine-[1-^{14}C]maleate, 119
S-γ-[(4-Trifluoromethyl)phenoxy]benzenepropanamine-[3-^{14}C]hydrochloride, 477
[^{14}C]-N-[(Trimethylamineboryl)carbonyl]-phenylalanine-methyl ester, 595
Tripeptides, -[^{3}H] 739
4′-[^{125}I]TTAB, 865
(see also 4-(5′,6′,7′ ,8′-tetrahydro-4′-[^{125}I]iodo-5′,5′,8′,8′-tetramethyl-2′-anthracenyl)benzoic acid)
[1-^{11}C]Tyrosine, 207
[^{3}H]U-86170, 933
(see also (R)-5-(Di[2,3-$^{3}H_{2}$]propylamino)-5,6-dihydro-4H-imidazo-[4,5,1-ij]quinolin-2(1H)-one)
[^{3}H]U-91356,
(see also (R)-5-([2,3-$^{3}H_{2}$]Propylamino)-5,6-dihydro-4H-imidazo 4,5,1-ij]quinolin-2(1H)-one)
Urocanic acid, -[3-^{2}H, 1′,3′-$^{15}N_{2}$] 437
-[2,3,5′-$^{2}H_{3}$,2′-^{13}C,1′,3′-$^{15}N_{2}$]
Vanillin, -[$^{2}H_{3}$] 489
(see also 4-hydroxy-3-methoxy[$^{2}H_{3}$]-benzaldehyde)
[^{3}H]-VUF-4576 987
(see also [^{3}H]-N-{2-[bis-(4-fluorophenyl)-methylthio]ethyl}-N-methyl-2-[3-tri-fluoromethyl)phenyl]-ethylamine)
14C-Xenalipin, 1011
(see also [Carboxyl-^{14}C]-4′-Trifluoromethyl-2-biphenylcarboxylic acid)